

# Index

- Aberrations, eye, 12
- Absorption, 275, 282
- Accommodation, 7, 22, 178
- Acquisition, meaning of, 2
- Acuity, visual, 37, 88, 97
- Acutance, 127, 200, 203, 206
- Adaptation
  - dark, 18, 52–53, 109
  - light, 18, 52–53
  - local, 138, 238–39
  - mechanisms of, 20, 21, 138
  - temporal, 246
- Adaptation time, 20, 52
- Adjacency effects, 182, 201, 347
- Aerial image, 179
- Aerosol scattering, 277, 279
- After images, 21, 27, 28
- Aided vision, 5, 175, 194, 207, 329, 330, 344, 349
- Air/ground acquisition, 329, 335
- Air-light, 276, 283, 289, 331, 335
- Air sampling, 295
- Aircraft acquisition, 330
- Airy disc, 190
- Albedo, 259, 267
- American 3-bar chart, 88, 192, 199
- Aperture dependence, 312
- Artificial pupil, 10
- Aspect ratio, effect on threshold, 54–55
- Astigmatism, 194
- Astronomy, 334
- Atmospheric attenuation, 4, 275, 331, 349
  - infra red, 3
  - modelling of, 300
- Atmospheric spread function, 309
- Atmospheric turbulence, 5, 275, 303, 332, 335
  - nature of, 303
- Attenuation laws, 283
  
- Background field size, effect on thresholds, 54
- Background structure, 214, 236, 247, 329, 350
- Bidirectional reflectance, 257, 260
- Binoculars, 5, 175, 208
  - Binocular
    - disparity, 26
    - fusion, 26
    - rivalry, 175, 178
    - threshold, 26, 87
    - vision, 26, 87
  - Bi-ocular, 175, 351
  - Bipolar cell, 113, 155, 198, 229
  - Bleaching, rhodopsin, 20, 53
  - Blind spot, 9, 149
  - Bloch's law, 55, 105, 118, 144
  - Blondel-Rey theory, 105
  - Blooming, 176
  - Blur, effect on thresholds, 57, 134, 151, 180
  - Blurring, 304
  - Border enhancement, 24, 200, 225
  - Brain rhythms, 27
  - Brewster angle, 257
  - Briefing, 41, 46, 137
  - Brightness illusions, 25, 229
  - Broken cloud, 285, 289
  - Bunsen-Roscoe law, 105, 118
  
- Central nervous system (CNS)
  - scanning, 119
- Channel-plate intensifiers, 181, 187
- Chemical spread function, 182
- Ciliary muscles, 7, 22
- Cine photography, projection quality, 347
- Clear standard atmosphere, 280
- Cloud structure, 290
- Chromaticity threshold, 61
- Cobb chart, 88, 192
- Colour blindness, 16, 60
- Colour, false, 18, 160
- Colour thresholds, 61, 160
- Colour vision, 3, 15, 112, 135, 160, theories of, 17–18, 113, 135, 160
- Complex shapes
  - detection of, 341
  - periodic patterns, 228
  - recognition of, 85, 90, 342
- Complicacy, 215
- Cones
  - distribution of, 14, 149, 165

- spectral sensitivity of, 16
- threshold, 51
- types of, 7, 16, 113
- Confidence level, 77, 137
- Confusibility, 248
- Contour recognition, 90, 96
- Contrast
  - definition, 4
  - intrinsic, 331, 336
  - liminal, 48
  - of velocity, 67
  - reversal, 229
  - sign dependence, 72, 89, 152, 351–52
- Contrast sensitivity, 23, 73, 155, 198, 225, 233
  - dependence on conditions, 23–24, 73, 225
  - spatio-temporal interaction, 75
- Convergence, 26, 178
- Cornea, 7
- Cortex, 9, 26, 96, 113
- Critical flicker fusion (CFF), 61, 62
- Cumulative probability, 33, 168
- Curvature of field, 194
- Cycloplegia, 10
- Cyclorotation, 26
  
- Dark adaptation, 18, 52–53, 109
- Decision theory, 42, 136
- Defocus
  - effect on thresholds, 57, 160, 178
  - residual, 12, 23
- Depth perception, 27
- Detection
  - definition of, 2
  - of appendages, 220
- Detective quantum efficiency (DQE), 112
- Dielectrics, surface reflection characteristics, 256
- Diffuse
  - reflectance, 253, 257
  - secondary images, 181
- Dip vergence, 26
- Direct coupling, 179, 198, 205
- Directional reflectance, 254
- Directional-hemispherical reflectance, 267
- Disparity, binocular, 26
- Downward slant path viewing, 289
- Drift, intersaccadic, 22, 37, 134, 206, 225
- Dynamic
  - structure, 216
  - thresholds, 64, 97, 156
  - visual acuity, 98
  
- Eccentricity, pupil, 176, 180, 329
- Eddies, 303, 309, 310
- Edge sharpness, 57, 127, 152
- Edge trace quality tests, 197
- Electrical inhibitory fields, 123
- Electro-optics, 3
- Element contribution theory, 115, 133
- Empty field search, 164, 180, 330, 334
- Environment, effect on threshold, 39
- Equivalent pass-band, 114
- Expectancy, 136, 248
  - wave, 136
- Exposure time, definition of, 4
- Extinction
  - coefficient, 275, 295
  - cross-section, 279
  - of light, 277, 289, 295
- Eye
  - aberrations of, 12
  - anatomy, 1, 7
  - electro-optical analogue of, 112
  - integration time of, 108, 110, 119, 139, 144, 246
  - master, 26, 178
  - neurophysiology of, 1, 7, 8, 15
  - optical quality of, 10–11, 112, 149, 218, 222
- Eye
  - focus, 71, 329
  - lens, 7
  - movements, 22, 28, 37, 97, 227, 249
  - pupil, 7, 9, 10, 225
  - pupil, variation of, 10, 11
  - tremor, 22, 37, 113, 134, 206, 225
- Eyepiece, 177, 349
  
- False colour, 18, 160
- Fatigue, 77
- Ferry-Porter law, 61
- Fibre bundles, 187
- Fibre face plates, 184, 187, 215
- Fibre scopes, 187
- Field curvature, 194
- Field size, effects on threshold, 54
- Field trials instrumentation, 329
- Figures of merit, 199
- Flicker threshold, 61
- Forced choice experiments, 32, 39
- Form fields, 96
- Foucault chart, 88
- Fourier methods, 64, 94, 194, 225
- Fovea, 3, 13
- Free choice, 39, 343

- Frequency of seeing, 32, 115  
 function, 33  
 function, components of, 35–36  
 modelling of, 41
- Frequency response, 190
- Fusion, binocular, 26
- Ganglion cell, 9, 113, 126, 155, 160, 230, 238
- Ganglion signal strength, 180
- Geometrical illusions, 90
- Gestalt theory, 81–82
- Ghost images, 176, 179, 191, 330
- Glare effects, 179, 182, 184
- Glare spread function, 209
- Glimpse rate, 119, 144, 164
- Glint, 330
- Gloss, 257
- Graininess, film, 110, 182, 233
- Granularity, film, 182, 233
- Ground/air acquisition, 329–30
- Ground resolution, 317
- Growing stimuli, 170–71
- Halation, 184, 202, 205
- Hemispherical-directional reflectance, 259
- Horizon sky luminance, 284, 289
- Hypermetropia, 22
- Identification, definition of, 2
- Illusions  
 brightness, 25, 229  
 geometric, 90
- Image  
 convertors, 175, 181, 187  
 convertor noise, 181, 187  
 distortion (due to turbulence), 304  
 intensifiers, 181, 187, 247  
 intensifier noise, 247  
 motion (due to turbulence), 303–304  
 306  
 tube quality, 187
- Imaging photometer, 296
- Inertial sub-range, 304–305, 314
- Infra-red  
 atmospheric attenuation in, 3, 282  
 spectrum, 3  
 testing, 197
- Inhibition, 15, 121, 135, 237
- Inner scale of turbulence, 303
- Integration time (of the eye), 108, 110, 119, 139, 144, 246
- Intelligence structure, 232, 248
- Interferometry, 197
- Interpupillary distance, 176
- Intersaccadic drift, 22, 37, 134, 206, 225
- Intrinsic contrast, 331, 336
- Involuntary eye movements, 22, 28, 37, 227
- Isopleths, 263
- Lambert's cosine law, 253
- Landolt C tests, 81, 88, 97
- Learning, 41, 77, 95, 231, 246
- Legibility tests, 88
- Light adaptation, 18, 52, 53
- Liminal contrast, 48
- Limulus*, 118, 126, 150
- Linespread function, 194, 197, 206, 225
- Local adaptation, 138, 238–39
- Local air sampling, 295
- Local path luminance, 293
- Luminance, effect on detection, 50, 146
- Luminance structure, target, 212
- Mach effect, 25, 120, 135, 225, 229
- Master eye, 26, 178
- Measurement of atmospheric attenuation, 294
- Memory, 231
- Meteorological visibility, 275, 280, 285, 298, 300, 330, 334
- Method of smooth perturbations, 308
- Microscopes, 5, 175
- Mie scattering, 277
- Minimum resolvable length, 313
- Modulation detectivity, 205
- Modulation transfer function, 193, 199, 347, 349  
 atmospheric, 306, 308, 310, 312, 320–21, 324, 326  
 definition, 13  
 eye, 13, 225  
 IR, 196
- Moire fringe patterns, 195, 196
- Molecular scattering coefficient, 276
- Motion, 64  
 detection thresholds, 64, 156–57  
 detection of, 67
- Motivation, 77
- MTFA, 127, 199, 202  
 variants, 202
- Multiple chance detection, 119, 133, 138, 144, 168
- Multiple glimpses, 22, 129, 137, 144, 146
- Mydriasis, 10
- Myopia, 22

- Near point, 22  
*Necturus*, 135  
 Nephelometers, 294–95, 299–300, 331  
 Neural  
   interaction, 155  
   network, 9, 18, 22–23, 25, 27, 37, 41, 119, 121, 134, 198  
   noise, 113, 136–37, 139, 145, 155, 228  
   response threshold, 138  
   signals, 27, 135, 138  
   units, 125  
 Neuron, 9  
 Night vision, 3, 15, 51, 129, 149, 233  
 Noise  
   intelligence, 248  
   random, 187, 232, 247  
   receptor, 113, 136  
   system, 26, 136, 147, 181, 187, 216, 233  
 Noise equivalent passband, 114  
 Non-selective scattering, 280
- Observer variability, 32, 37  
 Ocular  
   comfort, 26  
   pursuit, 67, 98  
   tremor, 22, 37, 113, 134, 206, 225  
 Optical nerve, 9  
 Optical  
   quality of the eye, 10–11, 112, 134, 149, 218, 222  
   slant path, 286  
   slant range, 287, 289  
   standard atmosphere, 285, 287  
   transfer function, 190, 192, 193  
   transfer function measurement, 194  
 Optimum image plane, 194  
 Orientation, effect of, 75, 89, 95, 194, 246  
 Outer scale of turbulence, 303
- Parallax, stereoscopic, 27  
 Parallel processing, 227, 243  
 Parasitic light, 179  
 Perception of depth, 27  
 Periodic patterns  
   complex, 228  
   simple, 225  
 Peripheral vision, performance, 59, 65, 69, 113, 148, 228, 236, 239  
 Phase transfer function, 193  
 Photographic  
   grain noise, 182, 232, 247  
   image, 181  
   photometry, 296, 299, 321, 331, 335, 336  
   quality, 182, 197–98, 347  
 Piper's law, 104  
 Plane wave, 307, 311  
 Point spread function, 194, 197  
 Poissonian functions, 41, 107, 138, 234  
 Polar  
   reflectance, 213, 296, 298, 335  
   reflectometer, 269  
 Polarisation, 257, 267  
 Presbyopia, 22  
 Presentation time, effect of thresholds, 55, 89, 139, 143, 156  
 Probability  
   cumulative, 33, 168  
   single glimpse, 166  
 Profile  
   recognition, 90, 96  
   structure, 214  
 Psychometric contrast, 4  
 Pulfrich effect, 27  
 Pupil  
   artificial, 10  
   eccentricity, 176, 180, 329  
   eye, 7, 9–10, 225  
   eye, diameter of, 10–11, 134  
 Pursuit tracking, 157
- Quality  
   figures of merit, 199  
   optical, of the eye, 10–11, 112, 134, 149, 218, 222  
 Quanta, threshold, 107  
 Quantum  
   approach to modelling, 106  
   efficiency, 108, 114  
   fluctuations, 41, 107
- Random  
   interlace, 184  
   noise, 187, 232, 247  
 Rayleigh  
   criterion, 190  
   scattering, 276, 280  
 Receptive field, 15, 16, 219, 236  
 Receptor  
   noise, 113, 136  
   spacing, 149, 165, 206, 224  
 Reciprocal inhibitions, 121  
 Recognition, 81, 140, 249, 342  
   complex shapes, 85, 90, 342  
   definition of, 2, 81

- effects of motion, 97
- modelling of, 231
- profile, 90, 96
- retinal image at, 92
- simple shapes, 82
- Recurrent inhibition, 126
- Reflectance
  - bidirectional, 257, 260
  - measurement of, 262, 269
  - modelling, 271
  - reference surfaces, 269
  - spectral dependence, 266
  - specular, 254, 256–57
  - symmetry of, 267
  - types of, 257
- Reflection from
  - concrete, 255
  - foliage, 254, 265–66
  - glass, 256
  - grass, 253, 263, 266
  - painted surfaces, 256
  - soil and rocks, 255, 260, 266
  - snow and ice, 266
  - wet surfaces, 255–56
- Reflectivity, 216, 253, 332
- Reflectometer, 269
- Refraction by the atmosphere, 303
- Refractive index structure coefficient, 314–17, 323–25
- Refractive index structure function, 307, 314
- Residual defocus, 12, 23
- Resolution, 23, 190–91, 199
  - ground, 317
  - limit, 23, 190
- Retina, 7, 9
  - construction of, 13, 135, 149
- Retinal
  - action potential, 123
  - diffusion, 13, 134, 138, 224
  - image, 92, 137, 218, 222, 231, 238–39
  - image quality, 10, 11, 26, 92, 134, 138
  - matrix, 136, 144, 224–25
- Retinex theory, 138
- Rhodopsin, bleaching, 20, 53
- Ricco's law, 49, 103, 142, 222
- Rod
  - distribution, 14–15
  - function, 7
  - grouping, 9, 113, 138, 150, 160
  - spectral sensitivity, 16
  - thresholds, 51, 149
- Rytov approximation, 305, 308
- Saccades, 22, 37, 137
- Scattering
  - aerosol, 277, 279
  - Mie, 277
  - non-selective, 280
  - Rayleigh, 276, 280
- Scattering coefficient, 277
- Scene structure, 5, 28, 344
- Scintillation, 304, 308, 315, 317, 319
- Scotopic vision, 3, 14, 15, 51, 129, 159, 242
- Screening, 248, 341
- Screens, 181, 350
- Search
  - empty field, 164, 180, 330, 334
  - forms of, 14
  - structured, 216, 249, 336
- Search
  - field, 167
  - modelling, 170, 334
- Selwyn granularity, 182
- Sensitivity
  - absolute, 3
  - spectral, 16
- Shape, effect on detection, 54, 142
- Sharpness, 200, 202
- Shimmer, 275, 303–04
- Signal enhancement, 22
- Signal/noise, 22, 37, 107, 109, 112, 114, 229, 247
- Simulation, 344
- Simulators, 344, 349
- Sine wave response, 192, 223
- Single glimpse probability, 166
- Size, effect on detection, 49, 141
- Sky luminance, 271
- Slant path
  - viewing, 289, 311, 322, 325, 330, 335
  - visibility, 330, 334, 351
- Slant range, optical, 287, 289
- Snellen tests, 26, 86, 98
- Spatial element contribution coefficient, 117
- Spatial frequency response, 114, 192
- Spectral sensitivity
  - cones, 16
  - rods, 16
- Spectrum
  - infra-red, 3
  - visible, 3
- Specular reflectance, 254, 256–57
- Spherical waves, 307, 311, 324–25
- Spot wobble, 184

- Spread function
  - atmospheric, 309
  - chemical, 182
  - glare, 209
  - point, 194, 197
- Stabilised vision, 28, 127
- Standard atmosphere, optical, 286
- Statistical unit, 113
- Statistical transfer ratio, 113
- Stereopsis, 26
- Stereoscopic parallax, 27
- Stimulus, characteristics of, 4
- Structure
  - background, 214, 236, 247, 329, 350
  - cloud, 290
  - dynamic, 216
  - intelligence, 232, 248
  - profile, 214
  - sub-threshold, 215, 241
  - target, 127, 212
- Structured illumination (of viewing path), 289
- Structured search, 216, 249, 336
- Subjective quality factor, 213
- Sub-threshold structure, 215, 241
- Surface reflectivity, 332
- Surface roughness, 255, 256
- System noise, 26, 136, 147, 181, 187, 216, 232
- Target/background interaction, 236, 351
- Target luminance structure, 127, 212
- Telescopes, 5, 175, 335
- Television, 5, 175, 181
  - noise, 181, 183
  - quality, 183–84
- Temperature structure coefficient, 324
- Temporal
  - adaptation, 246
  - element contribution function, 119
- Terrain
  - models, 344
  - screening, 329
  - structure, 336
- Texture, 215, 238, 254
- Threshold function –
  - local interactions, 15, 215, 218–19, 236
  - luminance, 50, 146
  - search, 166
  - shape, 54, 142
  - size, 49, 104, 108, 141
  - time, 55, 89, 139, 143, 156
  - variability of, 32, 37, 127, 139–40
- Threshold
  - product, 127
  - tracking, 218
  - tuning, 246
- Transfer function
  - modulation, 193, 199, 347, 349
  - optical, 190, 192–93
- Transmission, 180
- Tremor, ocular, 22, 37, 113, 134, 206, 225
- Tremor disc, 304
- Turbulence, 5, 275, 303, 332, 335
  - forms of degradation due to, 303
  - strength, 314, 325
- Upward slant path viewing, 287
- US standard atmosphere, 280
- Variability of threshold, 32, 37, 127, 139, 140
- Veiling glare, 5, 179, 190, 208, 330
  - index, 191, 208
- Vertical temperature gradient, 315, 323, 325, 332
- Viewing distance, effect of, 71
- Vigilance, 77
- Viscous dissipation, 304
- Visible spectrum, 3
- Visibility, 275, 280, 285, 298, 300, 330, 334
  - slant path, 330, 334, 351
- Vision, stabilised, 28
- Visual acuity, 37, 88, 97, 149
- Visual aids, 5, 26, 175, 194, 207, 329, 332, 344, 349
  - effect of focus, 177, 178
  - modelling of performance, 180
- Visual
  - comfort, 178
  - efficiency, 190, 206
  - lobes, 166
  - range estimates, 294
  - system, overall quality of, 24
- Volume scattering
  - coefficient, 296
  - function, 276
- Wasted glimpses, 171
- Wave structure function, 306–07, 311, 315
- Wavefront aberration, 195, 197
- Weber-Fechner law, 127
- Zoom lens, 350